GREENTECH LED

LED Lighting & Fixture Specialist www.greentechled.com sales@greentechled.com Phone: 1-408-444-5338

SPECIFICATIONS:

Voltage Rating: 120-277Volt (Driver) Option: 480 Volt (Driver) 50~60Hz PF: >0.95 THD: <20% External Driver: Meanwell driver Power Consumptions: 45-100 watt ±5% (DC bulbs) Lumens: > 132 and 141 per watt Beam Angle: 90° and 120° CRI: >72 CCT: 3000.4000.5000K Bulb Base: B22 & E39 including retrofit kits Average Life: 50,000 Hour Dimmable: No Rating: Dry and dump location Lamp including Earthquake safety cable Designed for Sox lamp replacement 3-5 years limited factory warranty Certified: ETL and Lighting Facts

45 watt:	Weight 2.0Lbs	2.60" x 20"
70 watt:	Weight 2.5Lbs	2.60" x 29"
100 watt:	Weight 3.5Lbs	2.60" x 43"

MODEL NUMBER:: GTL-LED-LPS-1HP. (45 watts) GTL-LED-LPS-2HP. (70 watts) GTL-LED-LPS-3HP. (100 watts)

US Patented Product

LED LOW PRESSURE SODIUM. (SOX Lamp Replacement)

* US Patented Product *

90W Replace 45W 135W Replace 70W 180W Replace 90-100W

Rotating Base: B22 & E39



External Meanwell Driver







Including: LED Sox lamp + Meanwell driver + Retrofit kits.

\$ Idea for retrofit, keep the existing fixture just replace high efficiency LED Low Pressure Sodium lamp only, saving time and labor cost.

±